


■ PRODUCT SPECIFICATIONS MODUL-DA-BARREL




ROOFS (SET)

MODUL-DA-BARREL (Roof form BARREL), maximum roof height 23 5/8 in, thickness 1 31/32 in.

EXTERNAL ROOF DIMENSIONS		SIDE B					
		59 1/16 in	≤ 70 55/64 in	≤ 82 43/64 in	≤ 94 31/64 in	≤ 106 19/64 in	≤ 118 7/64 in
SIDE A	59 1/16 in	Art.-no. LMODE30001 DA-BARREL 1500	Art.-no. LMODE30010 DA-BARREL 1500–1800	Art.-no. LMODE30011 DA-BARREL 1500–2100	Art.-no. LMODE30013 DA-BARREL 1500–2400	Art.-no. LMODE30016 DA-BARREL 1500–2700	Art.-no. LMODE30020 DA-BARREL 1500–3000
	≤ 70 55/64 in		Art.-no. LMODE30002 DA-BARREL 1800	Art.-no. LMODE30012 DA-BARREL 1800–2100	Art.-no. LMODE30014 DA-BARREL 1800–2400	Art.-no. LMODE30017 DA-BARREL 1800–2700	Art.-no. LMODE30021 DA-BARREL 1800–3000
	≤ 82 43/64 in			Art.-no. LMODE30003 DA-BARREL 2100	Art.-no. LMODE30015 DA-BARREL 2100–2400	Art.-no. LMODE30018 DA-BARREL 2100–2700	Art.-no. LMODE30022 DA-BARREL 2100–3000
	≤ 94 31/64 in				Art.-no. LMODE30004 DA-BARREL 2400	Art.-no. LMODE30019 DA-BARREL 2400–2700	Art.-no. LMODE30023 DA-BARREL 2400–3000
	≤ 106 19/64 in					Art.-no. LMODE30005 DA-BARREL 2700	Art.-no. LMODE30024 DA-BARREL 2700–3000
	≤ 118 7/64 in						Art.-no. LMODE30006 DA-BARREL 3000




■ PRODUCT SPECIFICATIONS MODUL-DA-CROSS



ROOFS (SET)							
MODUL-DA-CROSS (Roof form CROSS), maximum roof height 23 5/8 in, thickness 1 31/32 in.							
EXTERNAL ROOF DIMENSIONS	SIDE B						
	59 1/16 in	≤ 70 55/64 in	≤ 82 43/64 in	≤ 94 31/64 in	≤ 106 19/64 in	≤ 118 7/64 in	
SIDE A	59 1/16 in	Art.-no. LMODE31001 DA-CROSS 1500	Art.-no. LMODE31010 DA-CROSS 1500-1800	Art.-no. LMODE31011 DA-CROSS 1500-2100	Art.-no. LMODE31013 DA-CROSS 1500-2400	Art.-no. LMODE31016 DA-CROSS 1500-2700	Art.-no. LMODE31020 DA-CROSS 1500-3000
	≤ 70 55/64 in		Art.-no. LMODE31002 DA-CROSS 1800	Art.-no. LMODE31012 DA-CROSS 1800-2100	Art.-no. LMODE31014 DA-CROSS 1800-2400	Art.-no. LMODE31017 DA-CROSS 1800-2700	Art.-no. LMODE31021 DA-CROSS 1800-3000
	≤ 82 43/64 in			Art.-no. LMODE31003 DA-CROSS 2100	Art.-no. LMODE31015 DA-CROSS 2100-2400	Art.-no. LMODE31018 DA-CROSS 2100-2700	Art.-no. LMODE31022 DA-CROSS 2100-3000
	≤ 94 31/64 in				Art.-no. LMODE31004 DA-CROSS 2400	Art.-no. LMODE31019 DA-CROSS 2400-2700	Art.-no. LMODE31023 DA-CROSS 2400-3000
	≤ 106 19/64 in					Art.-no. LMODE31005 DA-CROSS 2700	Art.-no. LMODE31024 DA-CROSS 2700-3000
	≤ 118 7/64 in						Art.-no. LMODE31006 DA-CROSS 3000

■ PRODUCT SPECIFICATIONS MODUL-DA-FLAT




ROOFS (SET)

MODUL-DA-FLAT (Roof form FLAT), thickness 1 31/32 in.

EXTERNAL ROOF DIMENSIONS		SIDE B					
		59 1/16 in	≤ 70 55/64 in	≤ 82 43/64 in	≤ 94 31/64 in	≤ 106 19/64 in	≤ 118 7/64 in
SIDE A	59 1/16 in	Art.-no. LMODE31101 DA-FLAT 1500	Art.-no. LMODE31110 DA-FLAT 1500–1800	Art.-no. LMODE31111 DA-FLAT 1500–2100	Art.-no. LMODE31113 DA-FLAT 1500–2400	Art.-no. LMODE31116 DA-FLAT 1500–2700	Art.-no. LMODE31120 DA-FLAT 1500–3000
	≤ 70 55/64 in		Art.-no. LMODE31102 DA-FLAT 1800	Art.-no. LMODE31112 DA-FLAT 1800–2100	Art.-no. LMODE31114 DA-FLAT 1800–2400	Art.-no. LMODE31117 DA-FLAT 1800–2700	Art.-no. LMODE31121 DA-FLAT 1800–3000
	≤ 82 43/64 in			Art.-no. LMODE31103 DA-FLAT 2100	Art.-no. LMODE31115 DA-FLAT 2100–2400	Art.-no. LMODE31118 DA-FLAT 2100–2700	Art.-no. LMODE31122 DA-FLAT 2100–3000
	≤ 94 31/64 in				Art.-no. LMODE31104 DA-FLAT 2400	Art.-no. LMODE31119 DA-FLAT 2400–2700	Art.-no. LMODE31123 DA-FLAT 2400–3000
	≤ 106 19/64 in					Art.-no. LMODE31105 DA-FLAT 2700	Art.-no. LMODE31124 DA-FLAT 2700–3000
	≤ 118 7/64 in						Art.-no. LMODE31106 DA-FLAT 3000




■ **PRODUCT SPECIFICATIONS MODUL-DA-DOM+FLAT**



ROOFS (SET)
MODUL-DA-DOM+FLAT (Roof form DOM+FLAT), maximum roof height 23 5/8 in, thickness 1 31/32 in.

EXTERNAL ROOF DIMENSIONS		SIDE B					
		59 1/16 in	≤ 70 55/64 in	≤ 82 43/64 in	≤ 94 31/64 in	≤ 106 19/64 in	≤ 118 7/64 in
SIDE A	59 1/16 in	Art.-no. LMODE31201 DA-DOM+FLAT 1500	Art.-no. LMODE31210 DA-DOM+FLAT 1500-1800	Art.-no. LMODE31211 DA-DOM+FLAT 1500-2100	Art.-no. LMODE31213 DA-DOM+FLAT 1500-2400	Art.-no. LMODE31216 DA-DOM+FLAT 1500-2700	Art.-no. LMODE31220 DA-DOM+FLAT 1500-3000
	≤ 70 55/64 in		Art.-no. LMODE31202 DA-DOM+FLAT 1800	Art.-no. LMODE31212 DA-DOM+FLAT 1800-2100	Art.-no. LMODE31214 DA-DOM+FLAT 1800-2400	Art.-no. LMODE31217 DA-DOM+FLAT 1800-2700	Art.-no. LMODE31221 DA-DOM+FLAT 1800-3000
	≤ 82 43/64 in			Art.-no. LMODE31203 DA-DOM+FLAT 2100	Art.-no. LMODE31215 DA-DOM+FLAT 2100-2400	Art.-no. LMODE31218 DA-DOM+FLAT 2100-2700	Art.-no. LMODE31222 DA-DOM+FLAT 2100-3000
	≤ 94 31/64 in				Art.-no. LMODE31204 DA-DOM+FLAT 2400	Art.-no. LMODE31219 DA-DOM+FLAT 2400-2700	Art.-no. LMODE31223 DA-DOM+FLAT 2400-3000
	≤ 106 19/64 in					Art.-no. LMODE31205 DA-DOM+FLAT 2700	Art.-no. LMODE31224 DA-DOM+FLAT 2700-3000
	≤ 118 7/64 in						Art.-no. LMODE31206 DA-DOM+FLAT 3000

■ PRODUCT SPECIFICATIONS MODUL-DA-MONO



ROOFS (SET)

MODUL-DA-MONO (Roof form MONO), maximum roof height 23 5/8 in, thickness 1 31/32 in.

EXTERNAL ROOF DIMENSIONS		SIDE B					
		59 1/16 in	≤ 70 55/64 in	≤ 82 43/64 in	≤ 94 31/64 in	≤ 106 19/64 in	≤ 118 7/64 in
SIDE A	59 1/16 in	Art.-no. LMODE31301 DA-MONO 1500	Art.-no. LMODE31310 DA-MONO 1500–1800	Art.-no. LMODE31311 DA-MONO 1500–2100	Art.-no. LMODE31313 DA-MONO 1500–2400	Art.-no. LMODE31316 DA-MONO 1500–2700	Art.-no. LMODE31320 DA-MONO 1500–3000
	≤ 70 55/64 in		Art.-no. LMODE31302 DA-MONO 1800	Art.-no. LMODE31312 DA-MONO 1800–2100	Art.-no. LMODE31314 DA-MONO 1800–2400	Art.-no. LMODE31317 DA-MONO 1800–2700	Art.-no. LMODE31321 DA-MONO 1800–3000
	≤ 82 43/64 in			Art.-no. LMODE31303 DA-MONO 2100	Art.-no. LMODE31315 DA-MONO 2100–2400	Art.-no. LMODE31318 DA-MONO 2100–2700	Art.-no. LMODE31322 DA-MONO 2100–3000
	≤ 94 31/64 in				Art.-no. LMODE31304 DA-MONO 2400	Art.-no. LMODE31319 DA-MONO 2400–2700	Art.-no. LMODE31323 DA-MONO 2400–3000
	≤ 106 19/64 in					Art.-no. LMODE31305 DA-MONO 2700	Art.-no. LMODE31324 DA-MONO 2700–3000
	≤ 118 7/64 in						Art.-no. LMODE31306 DA-MONO 3000