




## LUX ELEMENTS®-TUB

### ■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE 70 (channel drain 70 x 750 mm)

**TUB-LINE 70**, hard foam shower base elements, square or rectangular, with integrated and sealed floor channel drain 70 x 750 mm on short side, cover rail and frame made from stainless steel, cover rail in brushed stainless steel or tileable on the rear side, maintenance opening tileable with locking system, frame/rail adjustable by 10 mm in height. Floor drain supports and accessories see page 106.

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS WIDTH x LENGTH x HEIGHT	UNIT
----------------	------------------------------------	---	------



	<b>LTUBE9001</b>	<b>TUB-LINE 70 Q4 900</b> Hard foam shower base element, square, with floor channel drain, with 4-sided gradient, including substrate element, standard format, for coverings in thicknesses of 5–15 mm	Shower base element: 900 x 900 x 45/55 mm substrate element: 900 x 900 x 60 mm	set
	<b>LTUBE9004</b>	<b>TUB-LINE 70 Q1 900</b> Hard foam shower base element, square, with floor channel drain, with descending gradient on one side, including substrate element, standard format, for coverings in thicknesses of 5–15 mm	Shower base element: 900 x 900 x 45/60 mm substrate element: 900 x 900 x 60 mm	set
	<b>LTUBE9101</b>	<b>TUB-LINE 70 Q4 900 S</b> Hard foam shower base element, square, with floor channel drain, with 4-sided gradient, including substrate element, standard format, for coverings in thicknesses of 14–24 mm	Shower base element: 900 x 900 x 35/45 mm substrate element: 900 x 900 x 60 mm	set
	<b>LTUBE9104</b>	<b>TUB-LINE 70 Q1 900 S</b> Hard foam shower base element, square, with floor channel drain, with descending gradient on one side, including substrate element, standard format, for coverings in thicknesses of 14–24 mm	Shower base element: 900 x 900 x 35/50 mm substrate element: 900 x 900 x 60 mm	set
	<b>LTUBE9010</b>	<b>TUB-LINE 70 Q4 900–1000 *</b> Hard foam shower base element, square, with floor channel drain, with 4-sided gradient, including substrate element, for coverings in thicknesses of 5–15 mm	Shower base element: 900–1000 x 900–1000 x 45/55 mm substrate element: 900–1000 x 900–1000 x 60 mm	set
	<b>LTUBE9011</b>	<b>TUB-LINE 70 Q1 870–1000 *</b> Hard foam shower base element, square, with floor channel drain, with descending gradient on one side, including substrate element, made to measure, for coverings in thicknesses of 5–15 mm	Shower base element: 870–1000 x 870–1000 x 45/60 mm substrate element: 870–1000 x 870–1000 x 60 mm	set
	<b>LTUBE9110</b>	<b>TUB-LINE 70 Q4 900–1000 S *</b> Hard foam shower base element, square, with floor channel drain, with 4-sided gradient, including substrate element, made to measure, made to measure, for coverings in thicknesses of 14–24 mm	Shower base element: 900–1000 x 900–1000 x 35/45 mm substrate element: 900–1000 x 900–1000 x 60 mm	set
	<b>LTUBE9111</b>	<b>TUB-LINE 70 Q1 870–1000 S *</b> Hard foam shower base element, square, with floor channel drain, with descending gradient on one side, including substrate element, made to measure, for coverings in thicknesses of 14–24 mm	Shower base element: 870–1000 x 870–1000 x 35/50 mm substrate element: 870–1000 x 870–1000 x 60 mm	set

\* PACKAGING SPECIFICATIONS ON REQUEST

! The design of descending gradients and directions belongs to planning services.

■ **PACKAGING SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE 70 (channel drain 70 x 750 mm)**

<b>INDIVIDUAL PACKAGING</b>							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS – WIDTH x LENGTH x HEIGHT	UNIT	WEIGHT / UNIT	WEIGHT / CARTON
LTUBE9001	TUB-LINE 70 Q4 900	1 set	carton	903 x 903 x 125 mm	piece	10 kg	11 kg
LTUBE9004	TUB-LINE 70 Q1 900	1 set	carton	903 x 903 x 125 mm	piece	9 kg	10 kg
LTUBE9101	TUB-LINE 70 Q4 900 S	1 set	carton	903 x 903 x 125 mm	piece	9 kg	10 kg
LTUBE9104	TUB-LINE 70 Q1 900 S	1 set	carton	903 x 903 x 125 mm	piece	7,5 kg	8,5 kg
<b>COLLECTIVE PACKAGING ON REQUEST</b>							




## LUX ELEMENTS®-TUB

### ■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE 70 (channel drain 70 x 750 mm)

**TUB-LINE 70**, hard foam shower base elements, square or rectangular, with integrated and sealed floor channel drain 70 x 750 mm on short side, cover rail and frame made from stainless steel, cover rail in brushed stainless steel or tileable on the rear side, maintenance opening tileable with locking system, frame/rail adjustable by 10 mm in height. Floor drain supports and accessories see page 106.


ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS WIDTH x LENGTH x HEIGHT	UNIT
----------------	------------------------------------	---	------



	<b>LTUBE9012</b>	<b>TUB-LINE 70 R4 1000/900</b> Hard foam shower base element, rectangular, with floor channel drain, with 4-sided gradient, including substrate element, standard format, for coverings in thicknesses of 5–15 mm	Shower base element: 1000 x 900 x 45/55 mm substrate element: 1000 x 900 x 60 mm	set
	<b>LTUBE9013</b>	<b>TUB-LINE 70 R1 1000/900</b> Hard foam shower base element, rectangular, with floor channel drain, with descending gradient on one side, including substrate element, standard format, for coverings in thicknesses of 5–15 mm	Shower base element: 1000 x 900 x 45/60mm substrate element: 1000 x 900 x 60 mm	set
	<b>LTUBE9112</b>	<b>TUB-LINE 70 R4 1000/900 S</b> Hard foam shower base element, rectangular, with floor channel drain, with 4-sided gradient, including substrate element, standard format, for coverings in thicknesses of 14–24 mm	Shower base element: 1000 x 900 x 35/45 mm substrate element: 1000 x 900 x 60 mm	set
	<b>LTUBE9113</b>	<b>TUB-LINE 70 R1 1000/900 S</b> Hard foam shower base element, rectangular, with floor channel drain, with descending gradient on one side, including substrate element, standard format, for coverings in thicknesses of 14–24 mm	Shower base element: 1000 x 900 x 35/50 mm substrate element: 1000 x 900 x 60 mm	set
	<b>LTUBE9003</b>	<b>TUB-LINE 70 R4 1200/900</b> Hard foam shower base element, rectangular, with floor channel drain, with 4-sided gradient, including substrate element, standard format, for coverings in thicknesses of 5–15 mm	Shower base element: 1200 x 900 x 45/55 mm substrate element: 1200 x 900 x 60 mm	set
	<b>LTUBE9005</b>	<b>TUB-LINE 70 R1 1200/900</b> Hard foam shower base element, rectangular, with floor channel drain, with descending gradient on one side, including substrate element, standard format, for coverings in thicknesses of 5–15 mm	Shower base element: 1200 x 900 x 45/60 mm substrate element: 1200 x 900 x 60 mm	set
	<b>LTUBE9103</b>	<b>TUB-LINE 70 R4 1200/900 S</b> Hard foam shower base element, rectangular, with floor channel drain, with 4-sided gradient, including substrate element, standard format, for coverings in thicknesses of 14–24 mm	Shower base element: 1200 x 900 x 35/45 mm, substrate element: 1200 x 900 x 60 mm	set
	<b>LTUBE9105</b>	<b>TUB-LINE 70 R1 1200/900 S</b> Hard foam shower base element, rectangular, with floor channel drain, with descending gradient on one side, including substrate element, standard format, for coverings in thicknesses of 14–24 mm	Shower base element: 1200 x 900 x 35/50 mm substrate element: 1200 x 900 x 60 mm	set
<b>LTUBE9016</b>	<b>TUB-LINE 70 R4 1000–1200/900–1000 *</b> Hard foam shower base element, rectangular, with floor channel drain, with 4-sided gradient, including substrate element, made to measure, for coverings in thicknesses of 5–15 mm	Shower base element: 1000–1200 x 900–1000 x 45/55 mm substrate element: 1000–1200 x 900–1000 x 60 mm	set	

Contd. on page 91

### ■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE 70 (channel drain 70 x 750 mm)



<b>LTUBE9017</b>	<b>TUB-LINE 70 R1 1000–1200/870–1000 *</b> Hard foam shower base element, rectangular, with floor channel drain, with descending gradient on one side, including substrate element, made to measure, for coverings in thicknesses of 5–15 mm	Shower base element: 1000–1200 x 870–1000 x 45/60 mm substrate element: 1000–1200 x 870–1000 x 60 mm	set
<b>LTUBE9116</b>	<b>TUB-LINE 70 R4 1000–1200/900–1000 S *</b> Hard foam shower base element, rectangular, with floor channel drain, with 4-sided gradient, including substrate element, made to measure, for coverings in thicknesses of 14–24 mm	Shower base element: 1000–1200 x 900–1000 x 35/45 mm substrate element: 1000–1200 x 900–1000 x 60 mm	set
<b>LTUBE9117</b>	<b>TUB-LINE 70 R1 1000–1200/870–1000 S *</b> Hard foam shower base element, rectangular, with floor channel drain, with descending gradient on one side, including substrate element, made to measure, for coverings in thicknesses of 14–24 mm	Shower base element: 1000–1200 x 870–1000 x 35/50 mm substrate element: 1000–1200 x 870–1000 x 60 mm	set

**\* PACKAGING SPECIFICATIONS ON REQUEST**

**!** The design of descending gradients and directions belongs to planning services.

### ■ PACKAGING SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE 70 (channel drain 70 x 750 mm)

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS – WIDTH x LENGTH x HEIGHT	UNIT	WEIGHT / UNIT	WEIGHT / CARTON
LTUBE9012	TUB-LINE 70 R4 1000/900	1 set	carton	1003 x 903 x 125 mm	piece	11 kg	12 kg
LTUBE9013	TUB-LINE 70 R1 1000/900	1 set	carton	1003 x 903 x 125 mm	piece	10 kg	11 kg
LTUBE9112	TUB-LINE 70 R4 1000/900 S	1 set	carton	1003 x 903 x 125 mm	piece	10 kg	11 kg
LTUBE9113	TUB-LINE 70 R1 1000/900 S	1 set	carton	1003 x 903 x 125 mm	piece	8,5 kg	9,5 kg
LTUBE9003	TUB-LINE 70 R4 1200/900	1 set	carton	1203 x 903 x 125 mm	piece	12 kg	13 kg
LTUBE9005	TUB-LINE 70 R1 1200/900	1 set	carton	1203 x 903 x 125 mm	piece	11,5 kg	12,5 kg
LTUBE9103	TUB-LINE 70 R4 1200/900 S	1 set	carton	1203 x 903 x 125 mm	piece	11,5 kg	12,4 kg
LTUBE9105	TUB-LINE 70 R1 1200/900 S	1 set	carton	1203 x 903 x 125 mm	piece	10 kg	11 kg

**COLLECTIVE PACKAGING ON REQUEST**




## LUX ELEMENTS®-TUB

### ■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE 70 (channel drain 70 x 850 mm)

**TUB-LINE 70**, hard foam shower base elements, square or rectangular, with integrated and sealed floor channel drain 70 x 750 mm on short side, cover rail and frame made from stainless steel, cover rail in brushed stainless steel or tileable on the rear side, maintenance opening tileable with locking system, frame/rail adjustable by 10 mm in height. Floor drain supports and accessories see page 106.


ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS WIDTH x LENGTH x HEIGHT	UNIT
----------------	------------------------------------	---	------



LTUBE9014	<b>TUB-LINE 70 Q4 1000</b> Hard foam shower base element, square, with floor channel drain, with 4-sided gradient, including substrate element, standard format, for coverings in thicknesses of 5–15 mm	Shower base element: 1000 x 1000 x 45/55 mm substrate element: 1000 x 1000 x 60 mm	set
LTUBE9015	<b>TUB-LINE 70 Q1 1000</b> Hard foam shower base element, square, with floor channel drain, with descending gradient on one side, including substrate element, standard format, for coverings in thicknesses of 5–15 mm	Shower base element: 1000 x 1000 x 45/60 mm substrate element: 1000 x 1000 x 60 mm	set
LTUBE9114	<b>TUB-LINE 70 Q4 1000 S</b> Hard foam shower base element, square, with floor channel drain, with 4-sided gradient, including substrate element, standard format, for coverings in thicknesses of 14–24 mm	Shower base element: 1000 x 1000 x 35/45 mm substrate element: 1000 x 1000 x 60 mm	set
LTUBE9115	<b>TUB-LINE 70 Q1 1000 S</b> Hard foam shower base element, square, with floor channel drain, with descending gradient on one side, including substrate element, standard format, for coverings in thicknesses of 14–24 mm	Shower base element: 1000 x 1000 x 35/50 mm substrate element: 1000 x 1000 x 60 mm	set
LTUBE9022	<b>TUB-LINE 70 Q4 1200</b> Hard foam shower base element, square, with floor channel drain, with 4-sided gradient, including substrate element, standard format, for coverings in thicknesses of 5–15 mm	Shower base element: 1200 x 1200 x 45/55 mm substrate element: 1200 x 1200 x 60 mm	set
LTUBE9023	<b>TUB-LINE 70 Q1 1200</b> Hard foam shower base element, square, with floor channel drain, with descending gradient on one side, including substrate element, standard format, for coverings in thicknesses of 5–15 mm	Shower base element: 1200 x 1200 x 45/60 mm substrate element: 1200 x 1200 x 60 mm	set
LTUBE9122	<b>TUB-LINE 70 Q4 1200 S</b> Hard foam shower base element, square, with floor channel drain, with 4-sided gradient, including substrate element, standard format, for coverings in thicknesses of 14–24 mm	Shower base element: 1200 x 1200 x 35/45 mm substrate element: 1200 x 1200 x 60 mm	set
LTUBE9123	<b>TUB-LINE 70 Q1 1200 S</b> Hard foam shower base element, square, with floor channel drain, with descending gradient on one side, including substrate element, standard format, for coverings in thicknesses of 14–24 mm	Shower base element: 1200 x 1200 x 35/50 mm substrate element: 1200 x 1200 x 60 mm	set
LTUBE9018	<b>TUB-LINE 70 Q4 1000–1200 *</b> Hard foam shower base element, square, with floor channel drain, with 4-sided gradient, including substrate element, made to measure, for coverings in thicknesses of 5–15 mm	Shower base element: 1000–1200 x 1000–1200 x 45/55 mm substrate element: 1000–1200 x 1000–1200 x 60 mm	set

Contd. on page 93

### ■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE 70 (channel drain 70 x 850 mm)



LTUBE9019	<b>TUB-LINE 70 Q1 970-1200 *</b> Hard foam shower base element, square, with floor channel drain, with descending gradient on one side, including substrate element, made to measure, for coverings in thicknesses of 5-15 mm	Shower base element: 970-1200 x 970-1200 x 45/60 mm substrate element: 970-1200 x 970-1200 x 60 mm	set
LTUBE9118	<b>TUB-LINE 70 Q4 1000-1200 S *</b> Hard foam shower base element, square, with floor channel drain, with 4-sided gradient, including substrate element, made to measure, for coverings in thicknesses of 14-24 mm	Shower base element: 1000-1200 x 1000-1200 x 35/45 mm substrate element: 1000-1200 x 1000-1200 x 60 mm	set
LTUBE9119	<b>TUB-LINE 70 Q1 970-1200 S *</b> Hard foam shower base element, square, with floor channel drain, with descending gradient on one side, including substrate element, made to measure, for coverings in thicknesses of 14-24 mm	Shower base element: 970-1200 x 970-1200 x 35/50 mm substrate element: 970-1200 x 970-1200 x 60 mm	set

**\* PACKAGING SPECIFICATIONS ON REQUEST**

**!** The design of descending gradients and directions belongs to planning services.

### ■ PACKAGING SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE 70 (channel drain 70 x 850)

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS – WIDTH x LENGTH x HEIGHT	UNIT	WEIGHT / UNIT	WEIGHT / CARTON
LTUBE9014	TUB-LINE 70 Q4 1000	1 set	carton	1003 x 1003 x 125 mm	piece	12,5 kg	13,5 kg
LTUBE9015	TUB-LINE 70 Q1 1000	1 set	carton	1003 x 1003 x 125 mm	piece	11,5 kg	12,5
LTUBE9114	TUB-LINE 70 Q4 1000 S	1 set	carton	1003 x 1003 x 125 mm	piece	11,5 kg	12,5
LTUBE9115	TUB-LINE 70 Q1 1000 S	1 set	carton	1003 x 1003 x 125 mm	piece	10 kg	11 kg
LTUBE9022	TUB-LINE 70 Q4 1200	1 set	carton	1203 x 1203 x 125 mm	piece	18 kg	19 kg
LTUBE9023	TUB-LINE 70 Q1 1200	1 set	carton	1203 x 1203 x 125 mm	piece	16,5 kg	17,5 kg
LTUBE9122	TUB-LINE 70 Q4 1200 S	1 set	carton	1203 x 1203 x 125 mm	piece	16,5 kg	17,5 kg
LTUBE9123	TUB-LINE 70 Q1 1200 S	1 set	carton	1203 x 1203 x 125 mm	piece	14,5 kg	15,5 kg

**COLLECTIVE PACKAGING ON REQUEST**




## LUX ELEMENTS®-TUB

### ■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE 70 (channel drain 70 x 850 mm)

**TUB-LINE 70**, hard foam shower base elements, square or rectangular, with integrated and sealed floor channel drain 70 x 750 mm on short side, cover rail and frame made from stainless steel, cover rail in brushed stainless steel or tileable on the rear side, maintenance opening tileable with locking system, frame/rail adjustable by 10 mm in height. Floor drain supports and accessories see page 106.

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS WIDTH x LENGTH x HEIGHT	UNIT
----------------	------------------------------------	---	------



	<b>LTUBE9020</b>	<b>TUB-LINE 70 R4 1200/1000</b> Hard foam shower base element, rectangular, with floor channel drain, with 4-sided gradient, including substrate element, standard format, for coverings in thicknesses of 5–15 mm	Shower base element: 1200 x 1000 x 45/55 mm substrate element: 1200 x 1000 x 60 mm	set
	<b>LTUBE9021</b>	<b>TUB-LINE 70 R1 1200/1000</b> Hard foam shower base element, rectangular, with floor channel drain, with descending gradient on one side, including substrate element, standard format, for coverings in thicknesses of 5–15 mm	Shower base element: 1200 x 1000 x 45/60 mm substrate element: 1200 x 1000 x 60 mm	set
	<b>LTUBE9120</b>	<b>TUB-LINE 70 R4 1200/1000 S</b> Hard foam shower base element, rectangular, with floor channel drain, with 4-sided gradient, including substrate element, standard format, for coverings in thicknesses of 14–24 mm	Shower base element: 1200 x 1000 x 35/45 mm substrate element: 1200 x 1000 x 60 mm	set
	<b>LTUBE9121</b>	<b>TUB-LINE 70 R1 1200/1000 S</b> Hard foam shower base element, rectangular, with floor channel drain, with descending gradient on one side, including substrate element, standard format, for coverings in thicknesses of 14–24 mm	Shower base element: 1200 x 1000 x 35/50 mm substrate element: 1200 x 1000 x 60 mm	set
	<b>LTUBE9024</b>	<b>TUB-LINE 70 R4 1000–1200/1000–1100 *</b> Hard foam shower base element, rectangular, with floor channel drain, with 4-sided gradient, including substrate element, made to measure, for coverings in thicknesses of 5–15 mm	Shower base element: 1000–1200 x 1000–1100 x 45/55 mm substrate element: 1000–1200 x 1000–1100 x 60 mm	set
	<b>LTUBE9025</b>	<b>TUB-LINE 70 R1 1000–1200/970–1100 *</b> Hard foam shower base element, rectangular, with floor channel drain, with descending gradient on one side, including substrate element, made to measure, for coverings in thicknesses of 5–15 mm	Shower base element: 1000–1200 x 970–1100 x 45/60 mm substrate element: 1000–1200 x 970–1100 x 60 mm	set
	<b>LTUBE9124</b>	<b>TUB-LINE 70 R4 1000–1200/1000–1100 S *</b> Hard foam shower base element, rectangular, with floor channel drain, with 4-sided gradient, including substrate element, made to measure, for coverings in thicknesses of 14–24 mm	Shower base element: 1000–1200 x 1000–1100 x 35/45 mm substrate element: 1000–1200 x 1000–1100 x 60 mm	set
	<b>LTUBE9125</b>	<b>TUB-LINE 70 R1 1000–1200/970–1100 S *</b> Hard foam shower base element, rectangular, with floor channel drain, with descending gradient on one side, including substrate element, made to measure, for coverings in thicknesses of 14–24 mm	Shower base element: 1000–1200 x 970–1100 x 35/50 mm substrate element: 1000–1200 x 970–1100 x 60 mm	set

\* PACKAGING SPECIFICATIONS ON REQUEST

! The design of descending gradients and directions belongs to planning services.

■ **PACKAGING SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE 70 (channel drain 70 x 850 mm)**

<b>INDIVIDUAL PACKAGING</b>							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS – WIDTH x LENGTH x HEIGHT	UNIT	WEIGHT / UNIT	WEIGHT / CARTON
LTUBE9020	TUB-LINE 70 R4 1200/1000	1 set	carton	1203 x 1003 x 125 mm	piece	15 kg	16 kg
LTUBE9021	TUB-LINE 70 R1 1200/1000	1 set	carton	1203 x 1003 x 125 mm	piece	14 kg	15 kg
LTUBE9120	TUB-LINE 70 R4 1200/1000 S	1 set	carton	1203 x 1003 x 125 mm	piece	14 kg	15 kg
LTUBE9121	TUB-LINE 70 R1 1200/1000 S	1 set	carton	1203 x 1003 x 125 mm	piece	12 kg	13 kg
<b>COLLECTIVE PACKAGING ON REQUEST</b>							